

**BRT4000 SERIES**

**CUSTOM SERIES B-VENT FIREPLACES**

**Superior**<sup>™</sup>  
FIREPLACES  
*Our name is our promise.*



**TRADITIONAL**

The BRT4000 Series offers the style and performance demanded by today's homeowners. Standard features like the multi-dimensional refractory log arrangement, tall active flames and deep glowing ember bed keep living areas cozy and inviting.



**FEATURED** BRT40 with Black Interior and Warm Red hearth and log set.

## EXCLUSIVE FEATURES


- 🔥 Available in a radiant design for a cleaner appearance
- 🔥 Warm Red refractory available in either stacked or herringbone pattern
- 🔥 Tall opening provides an exceptional view of the flame presentation
- 🔥 Evoke a traditional masonry fireplace look with our beautiful oak logs and glowing embers
- 🔥 Gas controls are conveniently located at the bottom opening for easy installation, finish and operation
- 🔥 Powerful burner system delivers tall, dancing flames
- 🔥 Operates with optional remote or wall switch for added convenience
- 🔥 Hidden screen pockets with standard mesh pull screen
- 🔥 Uses 6" b-vent




**FEATURED** BRT4542 with Warm Red Herringbone brick and log set.

## INTERIOR LINER OPTIONS


(Required)



**BRT4036/42**  
Black Interior with Warm Red hearth



**BRT4336/42**  
Warm Red Stacked walls and hearth



**BRT4536/42**  
Warm Red Herringbone walls and hearth

## EXTERIOR OPTIONS

(Optional)



Bi-Fold Glass Doors



Platinum




Brass




Black

## FLAT WALL FRAMING SPECIFICATIONS



	36"	42"
A	40-3/8"	44-3/8"
B	41-1/4"	48-1/4"
C	21-3/8"	23-1/8"

## CORNER FRAMING SPECIFICATIONS



	36"	42"
E	41"	48"
F	73-7/8"	83-7/8"
G	52-3/16"	59-5/16"

ON THE COVER BRT45 with Warm Red Herringbone brick and log set.



### IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer. Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.



## APPLIANCE SPECIFICATIONS



	36"	42"
H	29"	36"
I	20-1/2"	24"
J	12"	14"
K	42"	49"
L	34-3/4"	42"
M	21"	24"
N	36"	40"
O	21-1/4"	23"
P	10-1/2"	12-1/2"
Q	8-5/8"	10-1/2"

## FIREPLACE EFFICIENCIES

MODEL	FUEL	BTU/HR
BRT4036	NG	40,000
BRT4036	LP	40,000
BRT4336	NG	40,000
BRT4336	LP	40,000
BRT4536	NG	40,000
BRT4536	LP	40,000
BRT4042	NG	45,000
BRT4042	LP	45,000
BRT4342	NG	45,000
BRT4342	LP	45,000
BRT4542	NG	45,000
BRT4542	LP	45,000



© 2014 Innovative Hearth Products  
785378M 01/14

Visit us online



www.SuperiorFireplaces.us.com

