

WRE6000 SERIES

 SIGNATURE SERIES WOOD BURNING FIREPLACES

OUTDOOR


Our name is our promise.



TRADITIONAL

A stunning clean face design with amazing versatility to compliment contemporary or traditional décor combines with exceptional performance to make the WRE60 the perfect fit for your home.



FEATURED WRE60 with Warm Red Herringbone firebrick.

EXCLUSIVE FEATURES

- 🔥 The industry's most realistic masonry firebrick featuring the patented Mosaic Masonry™ technology offering the real look of a site-built masonry fireplace
- 🔥 Choose from 36", 42", and 50" sizes all with an impressive 30" tall opening
- 🔥 Fully insulated fireplace for trouble free operation in colder climates
- 🔥 Uses our IHP 12" chimney system for exceptional performance
- 🔥 Full length nailing flanges for easier installation
- 🔥 Optional glass doors in a variety of finishes
- 🔥 Optional outside combustion air kits
- 🔥 Includes stainless steel grate and mesh fire screens, and tight fitting damper
- 🔥 Standard gas line conduits make installation of a gas log easy. Check out our many gas log options
- 🔥 20 year limited warranty



Engineered firebrick walls are hand grouted in the factory for ease of installation

INTERIOR LINER OPTIONS

(Required)

Choose from Warm Red or White masonry firebrick in stacked or herringbone pattern to complement your decor.



Warm Red Herringbone



Warm Red Stacked



White Herringbone



White Stacked

WOOD NOOKS

(Optional)

Choose from two wood nook styles.



GLASS DOORS

(Optional)



Platinum




Brushed Brass




Black

FLAT WALL FRAMING SPECIFICATIONS



	36"	42"	50"
A	58-1/8"	67-1/8"	67-1/8"
B	45-1/4"	51-1/4"	59"
C	28-1/4"	30-1/8"	30-1/8"

CORNER FRAMING SPECIFICATIONS





	36"	42"	50"
D	61"	65"	71"
E	45-1/8"	51-1/8"	59"
F	86-1/2"	92"	100"
G	61"	65"	71"

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer. Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

APPLIANCE SPECIFICATIONS



	36"	42"	50"
H	29"	30-1/2"	38-1/2"
I	22-1/4"	25-1/2"	29-1/2"
J	15-5/8"	17-5/8"	17-5/8"
K	45-1/8"	51-1/8"	59"
L	36"	42"	50"
M	30"	30"	30"
N	49"	49"	49"
O	26-5/8"	29"	28-1/2"



© 2014 Innovative Hearth Products

785470M 01/14

Visit us online



www.SuperiorFireplaces.us.com

