

MULTI-SIDED

DIRECT VENT GAS FIREPLACES

HEAT & GLO®



Available IntelliFire®
app and voice control



MULTI-SIDED

Enjoy the power of fire in dramatic new ways. Divide a space with elegance. Warm up a dim corner. Add architectural interest to any floor plan. Multi-sided gas fireplaces make it all possible.



A ESCAPE

Escape to warmth and comfort from two sides, with the best fire, the cleanest look and an authentic masonry appearance. Virtually invisible, anti-reflective glass and micro-screen mesh create a captivating traditional focal point. Operating your fireplace is simple, smart and safe with IntelliFire® Touch.

B SEE-THROUGH

These stunning see-through fireplaces allow you to add architectural interest and to multiple rooms in a creative new way. Multiple personalization options let you bring your vision to life. Operating your fireplace is simple, smart and safe with IntelliFire Touch.

C CORNER

Add architectural interest to your space and enjoy the power of fire in creative new ways with this stunning two-sided gas fireplace. Operating your fireplace is simple, smart and safe with IntelliFire Touch.

D PIER

Add architectural interest to your space and enjoy the power of fire in creative new ways with these three-sided gas fireplaces. Multiple personalization options let you bring your vision to life. Operating your fireplace is simple, smart and safe with IntelliFire Touch.



LEFT: *ESCAPE SEE-THROUGH* shown with firescreen front in black

TOP RIGHT: *SEE-THROUGH 36"* shown with Halston front in black and Stratford brick interior

MIDDLE RIGHT: *CORNER* shown with Firescreen front in black with standard brick interior

BOTTOM RIGHT: *PIER* shown with Chateau front in black and Stratford brick interior



MODEL COMPARISON

FEATURES	Escape ST	ST-36 TR / TRB	32" ST	PIER 36 TR / TRB	Corner
					
Size/Viewing Area	42"	36"	32"	36"	36"
Type	See-Through	See-Through	See-Through	Multi-Sided	Multi-Sided
Room Sizes	Medium to large	Medium to large	Small to medium	Medium to large	Medium large
BTU/hr Input	43,500 to 57,500	21,000 to 38,000	14,700 to 21,000	21,000 to 38,000	21,000 to 38,000
Brick Interior	Standard: stratford	Standard: metal Optional: stratford	N/A	Standard: metal Optional: stratford	Standard: brick
Reflective Black Glass Interior	N/A	Optional	N/A	Optional	N/A
Porcelain Interior	N/A	N/A	N/A	N/A	N/A
Modern Flame and Media	N/A	TRB only: Optional	N/A	TRB only: Optional	N/A
Ceramic Standard Definition Logs	Nine	Six	Four	Six	Seven
Media	N/A	TRB*: crystal, amber, scarlet, ebony, cobalt, fog, stones	N/A	TRB*: Crystal, amber, scarlet, ebony, cobalt, fog, stones	N/A
Flame	Stunning flame	<ul style="list-style-type: none"> TR: Stunning flame TRB: Stunning flame; Contemporary flame* 	Stunning flame	<ul style="list-style-type: none"> TR: Stunning flame TRB: Stunning flame; Contemporary flame* 	Stunning flame
Embers	Glowing and electric	<ul style="list-style-type: none"> TR: Glowing/Electric TRB: Glowing 	Glowing	<ul style="list-style-type: none"> TR: Glowing/Electric TRB: Glowing 	Glowing
Accent Lighting	Standard	N/A	N/A	N/A	N/A
Glass	Virtually invisible anti-reflective ceramic	Tempered	Tempered	Tempered	Tempered
Remote Control	Standard	<ul style="list-style-type: none"> TR: Standard TRB: Optional 	Optional	<ul style="list-style-type: none"> TR: Standard TRB: Optional 	Optional
Wall Switches	Optional	Optional	Optional	Optional	Optional
Ignition System	IntelliFire Touch	IntelliFire Touch	IntelliFire	IntelliFire Touch	IntelliFire Touch
TECHNOLOGIES					
Heat Management Technologies	<ul style="list-style-type: none"> Optional Heat Zone Optional Heat Duct Optional Heat Out 	N/A	N/A	N/A	N/A
Turndown	50%	50%	NG-30%, LP-N/A	50%	50%
Direct Vent	Standard	Standard	Standard	Standard	Standard
Illuminated Embers	Standard	TR: Standard	N/A	TR: Standard	N/A
PowerVent	Optional	Optional	N/A	Optional	Optional
Anti-Reflective Glass	Standard	N/A	N/A	N/A	N/A
Micro-screen	Standard	N/A	N/A	N/A	N/A

*With contemporary kit



STRATFORD BRICK INTERIOR PANELS



FADE-RESISTANT BLACK GLASS INTERIOR PANELS



HIGH-DEFINITION LOGS



ILLUMINATED EMBERS

TOP LEFT: SEE-THROUGH 36" shown with Folio front in black, crystal glass and black glass interior

TOP RIGHT: PIER shown with Chateau front in black and stratford brick interior

BOTTOM LEFT: PIER shown with Folio front in black, crystal glass and black glass interior

BOTTOM RIGHT: SEE-THROUGH 36" shown with Galleria front in black and stratford brick interior


OPTIONS

FRONTS AND DOORS

FRONTS										
	FIRESCREEN (Escape)	ARCHED FIRESCREEN	ARCADIA	CHATEAU	HALSTON	GALLERIA DOORS	FOLIO	CLEAN FACE	MODERN	FIRESCREEN (Corner)
ESCAPE SEE-THROUGH	•	•								
36" SEE-THROUGH TR & TRB			•	•	•	•	•			
36" PIER TR & TRB			•	•			•			
36" LEFT & RIGHT CORNER							•			•
32" SEE-THROUGH				•	•		•	•		



ARCADIA
Available in black, graphite and new bronze.



ARCHED FIRESCREEN
Available in black, graphite and new bronze.



CHATEAU
Available in black, graphite and new bronze.




CLEAN FACE FRONT
Available in black, graphite and new bronze.



FOLIO (INSIDE FIT)
Available in black, graphite and new bronze.



FIRESCREEN (Corner)
Available in black



FIRESCREEN (Escape)
Available in black and new bronze.




GALLERIA OPERABLE DOORS
Available in black, graphite and new bronze.



HALSTON
Available in black, graphite and new bronze.

FRONT AND DOOR FINISHES



INTERIOR PANEL OPTIONS Change the look of the fireplace with interior panel options. Choices range from brick panels that give the appearance of an authentic masonry fireplace, to reflective fade-resistant black glass for modern drama.



BLACK METAL PANELS



BLACK PORCELAIN PANELS



FADE-RESISTANT
BLACK GLASS PANELS



STRATFORD BRICK PANELS



STANDARD CORNER BRICK
PANELS

INTERIOR MEDIA Available for the ST-36TRB and PIER-36TRB with optional contemporary kit.



CRYSTAL GLASS



EBONY GLASS



COBALT GLASS



AMBER GLASS



SCARLET GLASS



ICED FOG GLASS




CAST STONES

ANDIRONS

Optional andirons are available in black on the Escape See-Through only.



CONTROL OPTIONS

							
	INTELLIFIRE APP*	TOUCHSCREEN REMOTE	WIRELESS WALL SWITCH	WSK200-HNG	SMART-STAT-HNG	WSK-MLT-HNG	RCT-MLT-HNG
Wi-Fi Connectivity	•						
Compatible with Voice Assistants Amazon Alexa and Google Assistant	•						
Control Your Fire From Anywhere	•						
On/Off	•	•	•	•	•	•	•
Touchscreen	•	•					
Fan Speed	•	•		•		•	•
Flame Control	•	•				•	•
Thermostat Mode	•	•			•	•	•
Timer Mode	•				•		•
Temperature Readout	•	•			•	•	•
Cold Climate Mode	•	•	•				
Child Lock		•					
Hot Indicator		•					
On-Screen Maintenance and Troubleshooting		•					
Dealer Info		•					
Auto Battery Backup		•		•			
Battery Strength Indicator		•	•	•			
Flame Modulation		•					
Pilot Activation		•		•		•	
Aux Function		•				•	

*Not available for 32" See-Through.


MULTI-SIDED TECHNOLOGIES

**INTELLIFIRE TOUCH IGNITION SYSTEM**

IntelliFire Touch is our most advanced intermittent-pilot ignition (IPI) system, making operating your appliance simple, smart and safe. Select the IntelliFire app, touch-screen remote control or wireless wall switch for the solution that fits your lifestyle.

**DIRECT VENT TECHNOLOGY**

With direct vent fireplaces and inserts, 100% of combustion exhaust and fumes are removed from your home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

**POWER VENTING TECHNOLOGY**

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home—up, down, over or under—making it possible to install a gas fireplace virtually anywhere. This ensures safe fireplace operation and the best flames. Check with your local hearth professional to determine if your home or fireplace could benefit from power venting technology.

**LED EMBER BED**

Add an extra layer of dimension and light to your fire. Realistic illuminated LED embers let you enjoy the ambiance, with or without the fire.

**FADE-RESISTANT BLACK GLASS PANELS**

A clean look that reflects the fire and never gets dull. Just like this black glass interior. It's hot. And looks that way, too. For the life of your fireplace.



Solutions to help you manage the heat throughout your house:

PASSIVE HEAT KIT Passive heat disperses heat naturally without moving parts, allowing TVs to be mounted 12" above the fireplace without a mantel or shelf.

SMARTWALL™ TV KIT Design flexibility with automatic fan that allows a TV to be mounted 12" above the fireplace without a mantel or shelf.²

HEAT-ZONE® KIT Reduce wall temperatures and redirect up to 50% of the heat from your fireplace to another room in your home.

HEAT OUT® KIT Redirect up to 40% of the heat from your fireplace and direct it outside for comfort year round.

OPTIONAL FAN Move heat directly into the room for added comfort.

² The SmartWall fan will and must run continuously to move the heat away from the area above the fireplace. Also minimum guidelines must be followed:

- Minimum of 3" gap between the TV and wall at all angles
- Minimum of 24" to side wall
- Ambient room temperature 75° F or less
- See TV manufacturer's recommendation for TV operating temperatures
- Minimum 60" from the top of the fireplace opening to the ceiling

EFFICIENCIES

EnerGuide (CSA P.4.1-15) -


EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

RATING	ENERGUIDE (CSA P.4.1-15)
ESCAPE-ST	62.5%
ST-36TR/TRB	58%
PIER-36TR/TRB	58%
L/RCOR-DV36IN	54%
ST-55OT/	51%

SPECIFICATIONS


ESCAPE SEE-THROUGH

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ESCAPE SEE-THROUGH (IFT)	59-15/16 [1522]	60-1/4 [1530]	59-15/16 [1524]	60-1/4 [1530]	46-3/8 [1178]	46-1/2 [1181]	30 [762]	30 [762]	39-7/16 x 35-1/8 [1002 X 892]	43,500 - 57,500



SEE-THROUGH 36"

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ST-36TR (IFT) ST-36TRB (IFT)	42-1/2 [1080]	43 [1092]	42-1/2 [1080]	43 [1092]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000



SEE-THROUGH 32"

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ST-550T	37-5/8 [956]	38-1/8 [968]	37-5/8 [956]	38-1/8 [968]	34-1/2 [876]	34-3/4 [883]	16 [406]	15 [381]	27-3/16 X 18-1/16 [691 X 459]	14,700 - 21,000

SIDE VIEW

FRONT VIEW

SIDE VIEW

TOP VIEW

PIER

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
PIER-36TR (IFT) PIER-36TRB (IFT)	40-1/2 [1029]	40 [1016]	40-1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24 [610]	23 [584]	33 X 21-5/8 [838 X 549]	21,000 - 38,000

SIDE VIEW

FRONT VIEW

SIDE VIEW

TOP VIEW


Dimensions shown are in inches. Reference dimensions only. We recommend measuring individual units at installation. Assumes the use of 1/2" Sheetrock. NOTE: Non-combustible material is allowed over this dimension. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not true representation of the fireplace, flames and/or finishes.

SPECIFICATIONS, CONT'D

CORNER

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
LCOR-36IN RCOR-36IN	40-1/2 [1029]	40 [1016]	40 -1/2 [1029]	40 [1016]	38 [965]	38-1/8 [968]	24-1/2 [622]	24 [610]	33 X 21-5/8 [838 X 549]	21,000 - 38,000



For complete information on this model, please contact us at:

HEAT & GLO
No one builds a better fire

Web: heatnglo.com
E-mail: info@heatnglo.com


[facebook.com/HeatandGlo](https://www.facebook.com/HeatandGlo)
twitter.com/HeatandGlo
[youtube.com/HeatandGlo](https://www.youtube.com/HeatandGlo)

LIMITED LIFETIME WARRANTY*

The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

*For full warranty details, go to www.heatnglo.com. Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety.

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



HNG-1034U-0420